

## Material

- Glazed titanium steel

## Features

- with overflow hole
- with faucet hole bench
- installation kit and overflow set (ABS) included
- vanity included
- drain set pre-installed



## Colors

- ☐ C058 White matte
- ☐ C\_\_ Color class C, D, E
- ☐ C058 White matte
- ☐ C\_\_ Color class C, D, E
- ☐ C058 White matte
- ☐ C\_\_ Color class C, D, E




➔ color list

## Options

- ☐ FH2 3-hole faucet (4")
- ☐ FH3 3-hole faucet (8")
- ☐ CE1 CLEANEFFECT
- ☐ Custom round hole
- ☐ SDH2 Hole for Schmidlin built-in soap dispenser (Ø 1")
- ☐ Super matte laminate: Grigio londra, Grigio bromo, Nero ingo or Bronze [FAM20\_]
- ☐ OH0 Without overflow hole
- ☐ FH1 Single hole faucet
- ☐ FH0 without faucet hole
- ☐ wood-laminate: Wood light oak, Wood titanium oak or Wood planked walnut [FAM10\_]

## Accessories

- ☐ 111716 Schmidlin ELEMENT magnetic towel holder, black matt
- ☐ 108240 Schmidlin ELEMENT magnetic towel holder, chrome-plated
- ☐ 109547 Schmidlin ELEMENT, magnetic candle holder
- ☐ 108242 Schmidlin ELEMENT, magnetic glass holder
- ☐ 108243 Schmidlin ELEMENT, magnetic soap dish
- ☐ 108241 Schmidlin ELEMENT, magnetic soap dispenser
- ☐ 111479 Schmidlin MAGNO magnetic soapdispenser white
- ☐ 111480 Schmidlin MAGNO magnetic soapdispenser, black matte
- ☐ 111482 Schmidlin MAGNO magnetic toothbrush holder, black matte
- ☐ 111481 Schmidlin MAGNO magnetic toothbrush holder, white
- ☐ 100534 Reinforcement flange for tap mounting
- ☐ zub\_Schmidlin Back- / side-splash Schmidlin Back- / side-splash
- ☐ 100530 Schmidlin soap dispenser



## Technical Information

with faucet hole diameter	1 3/8"
Bowl configuration	single
Bowl depth	4 1/2"
Bowl size	18 7/8" x 12 7/8"
Water depth to overflow	2 1/2"
Drain hole diameter	1 3/4"
with faucet hole diameter	1 3/8"
Bowl configuration	single
Bowl depth	4 1/2"
Bowl size	18 7/8" x 12 7/8"
Water depth to overflow	2 1/2"
Drain hole diameter	1 3/4"
Bowl configuration	#NV
Bowl depth	2 3/4"



➤ Installation Instructions

## Standards / Codes

- This product complies with
- ASME A112.19.1 / CSA B45.2
- ASTM F462
- This product complies with
- ASME A112.19.1 / CSA B45.2

09/04/2025 Subject to technical changes.

## Notes

- Overflow-set included
- Drain and faucet not included
- Refer to installation instructions
- We recommend the use of Schmidlin reinforcement flange for faucet installation

- ASTM F462

- Overflow-set included
- Drain and faucet not included
- Refer to installation instructions
- We recommend the use of Schmidlin reinforcement flange for faucet installation

**Important:** Dimensions of fixtures are nominal and may vary within the range tolerances established by ANSI standard A112.19.4. These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided leaflet.