

# Schmidlin MERO drop-in washbasin

22 x 19 x ½ inch Article No: 2113-0003

### Material

• Glazed titanium steel

### **Features**

- with overflow hole
- with faucet hole bench
- installation kit and overflow set (ABS) included





Colors		Accessories	
C058 White matte	具級総具	109547	Schmidlin ELEMENT, magnetic candle holder
C Color class C, D, E		108242	Schmidlin ELEMENT, magnetic glass holder
	直線整體	108243	Schmidlin ELEMENT, magnetic soap dish
Options	→ color list	108241	Schmidlin ELEMENT, magnetic soap dispenser
Options		111479	Schmidlin MAGNO magnetic soapdispenser white
FH2 3-hole faucet (4")		111480	Schmidlin MAGNO magnetic soapdispenser, black
☐ FH3 3-hole faucet (8″)		_	matte
☐ CE1 CLEANEFFECT		□ 111482	Schmidlin MAGNO magnetic toothbrush holder, black matte
☐ Custom round hole		111481	Schmidlin MAGNO magnetic toothbrush holder,
☐ SDH2 Hole for Schmidlin built-in soap dispenser (Ø 1")		100534	white Reinforcement flange for tap mounting
☐ OH0 Without overflow hole		2378-0001	Schmidlin back- / side-splash
☐ FH1 Single hole faucet		2377-0001	Schmidlin back- / side-splash
☐ FH0 without faucet hole		100530	Schmidlin soap dispenser


12/13/2025 Subject to technical changes.





# Schmidlin MERO drop-in washbasin

22 x 19 x ½ inch

Article No: 2113-0003







### **Technical Information**

with faucet hole diameter 1 3/8" Bowl configuration single Bowl depth 4 1/2"

Bowl size 18 7/8" x 12 7/8"

Water depth to overflow 2 1/2"
Drain hole diameter 1 3/4"



↗ Installation Instructions

## Standards / Codes

- This product complies with
- ASME A112.19.1 / CSA B45.2
- ASTM F462

## Notes

- Overflow-set included
- Drain and faucet not included
- Refer to installation instructions
- We recommend the use of Schmidlin reinforcement flange for faucet installation

**Important:** Dimensions of fixtures are nominal and may vary within the range tolerances established by ANSI standard A112.19.4. These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided leaflet.

12/13/2025 Subject to technical changes.