

# Schmidlin ORBIS wall-mount washbasin

30 x 19 x 4 % inch Article No: 2208-0002

### Material

• Glazed titanium steel

#### **Features**

- with overflow hole
- without faucet hole bench
- installation kit and overflow set (ABS) included






Colors	Accessories	
☐ C058 White matte	☐ 111716	Schmidlin ELEMENT magnetic towel holder, black
C Color class C, D, E	108240	matt Schmidlin ELEMENT magnetic towel holder, chrome-plated
≯ color list	109547	Schmidlin ELEMENT, magnetic candle holder
Options	108242	Schmidlin ELEMENT, magnetic glass holder
☐ CE1 CLEANEFFECT	108243	Schmidlin ELEMENT, magnetic soap dish
☐ SDH2 Hole for Schmidlin built-in soap dispenser (Ø 1")	☐ 108241	Schmidlin ELEMENT, magnetic soap dispenser
☐ OH0 Without overflow hole	☐ 111479	Schmidlin MAGNO magnetic soapdispenser white
	□ 111480	Schmidlin MAGNO magnetic soapdispenser, black matte
	□ 111482	Schmidlin MAGNO magnetic toothbrush holder, black matte
	111481	Schmidlin MAGNO magnetic toothbrush holder, white
	100534	Reinforcement flange for tap mounting
	2377-0001	Schmidlin back- / side-splash
	2406-0001	Schmidlin back- / side-splash
	100530	Schmidlin soap dispenser


08/20/2025 Subject to technical changes.




## Schmidlin ORBIS wall-mount washbasin

30 x 19 x 4 % inch Article No: 2208-0002





# 



### **Technical Information**

Bowl configuration single
Bowl depth 5 1/2"
Bowl size Ø 14 1/8"
Water depth to overflow 3 5/8"
Drain hole diameter 1 3/4"



↗ Installation Instructions

### Standards / Codes

- This product complies with
- ASME A112.19.1 / CSA B45.2
- ASTM F462
- ADA



Meets the americans with disabilities act guidelines and ANSI A117.1 requirements for accessibility and usability - check local code. Install with seat at head end.

## Notes

- Overflow-set included
- Drain and faucet not included
- Refer to installation instructions
- We recommend the use of Schmidlin reinforcement flange for faucet installation

**Important:** Dimensions of fixtures are nominal and may vary within the range tolerances established by ANSI standard A112.19.4. These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided leaflet.

08/20/2025 Subject to technical changes.